



Choices
Flooring


choicesflooring.com

the abode

COLLECTION

A U S T R A L I A

abode



WHY CHOOSE ABODE?

Often referred to as rigid flooring or hybrid flooring, Abode is an evolution in hard flooring which has the visual appearance of timber, yet combines the best attributes of laminate and luxury vinyl.

Abode is quick and easy to install, with minimal to no subfloor preparation. It is exceptionally resistant to scuffs, scratches and stains, making it a perfect choice for those with busy households as it provides style and durability for everyday living.



rigid/hybrid

CHOICES

abode

2	Before You Buy
4	Abode Care & Maintenance Guide
9	Abode Alpha
13	Abode Avenue
17	Abode Classic
21	Abode Coastal
25	Abode Elevate
29	Abode Grace
33	Abode Grande
37	Abode Noble
41	Abode Prime
45	Abode Wide Board
49	Key Features
50	Guarantees & Warranties

BEFORE YOU BUY

Throughout this brochure you may notice a colour variation between the room and swatch images. Both are the best possible representation of that product within two different photographic environments. It is important to keep in mind that there are a number of variances in addition to lighting that may affect the way your hard flooring looks. This can include paint colour on walls, furniture and décor items that can alter the appearance of your floors.

HOW LIGHTING AFFECTS THE LOOK OF YOUR FLOOR

Flooring is one of the biggest surface areas in your home and a key design element to any interior. When selecting your hard flooring, colour plays just as much of an important role as price, style and quality.

It is important to take into consideration how your selected hard flooring may look once it is installed in your home as the lighting in the room will have a significant impact on the way the colour is perceived.

For example, hard flooring that is laid in a room that receives little to no natural light will appear drastically different to a room that has a lot of natural light coming in. It will also appear different as the light changes throughout the day and transitions from morning to night.

THE EFFECTS OF ARTIFICIAL LIGHTING

Natural sunlight is not the only lighting that has an impact on the colour of your hard flooring; the type of light fixtures you have in the room will also play a part in how the hard flooring will look in your room.

Indirect lighting, such as a wall bracket aims light toward ceilings or walls, whereas a lampshade or floor lamp has a wider spread of light, therefore the light displayed will rebound against walls and floor.

For the best representation, we recommend going into your local Choices Flooring store and request to take a sample of your desired colour home. In addition, take a sample that is a shade darker so you can compare the two shades in both natural and artificial light at various times throughout the day to ensure you are happy with the true colour of the product within your room.



The actual swatch appears most like the mid to dark sections of the room image.



Depending on the sheen and texture of the product, under natural light your flooring can appear drastically lighter.



Wall colour and furniture can appear to change the tone of your flooring due to colour reflection.

For more information, visit [choicesflooring.com](https://www.choicesflooring.com) or speak with your sales consultant at your local Choices Flooring store.

ABODE CARE & MAINTENANCE GUIDE

Abode has been designed with low maintenance in mind, allowing you to spend more time doing the things you love. A key benefit of Abode flooring is how easy it is to clean, and with little maintenance, you can extend the life of your floor for years to come. The nature of the maintenance will depend on the amount and type of traffic in your home. A typical maintenance program for a standard home would be as follows:

INITIAL TREATMENT

Maintain a temperature controlled environment between 18°C – 28°C and do not wash your new floor for at least 24 hours after installation. Sweep with a broom or vacuum to remove any grit and dirt. This will avoid scratching your floor prior to implementing the recommended maintenance schedule.

REMOVING SCUFF MARKS

Scuff marks on surface areas are usually caused by dragging heavy items such as furniture or sliding shoes across the floor. These can be just wiped away with a damp cloth. If you are having difficulties removing scuff marks, add some eucalyptus oil to a damp cloth and wipe scuff marks to remove any residue.

WEEKLY CARE

Sweep daily or as often as required with a broom or vacuum to remove any grit or dirt. At least twice a month, mop the entire floor with a pH neutral cleaning product. The minimum amount of water/liquid should be used to prevent moisture from penetrating into joins. Check with your Choices Flooring sales consultant which cleaning product is most appropriate for your floor.



For more information regarding the care & maintenance of your flooring, visit [choicesflooring.com](https://www.choicesflooring.com)



Swatch colour and room image can differ due to light conditions. Refer to page 2.



abode

The next evolution in flooring.

Boasting stunning timber designs that provide the flexibility to be installed throughout most of your home, embrace the next evolution in flooring with the Abode collection.

FEATURED BRANDS

abode
alpha

abode
avenue

abode
classic

abode
coastal

abode
elevate

abode
grace

abode
grande

abode
noble

abode
prime

abode
wide board



Swatch colour and room image can differ due to light conditions. Refer to page 2.



Discover the new benchmark in flooring.

From modern grey hues to classic oaks, Abode Alpha has it all – style, durability and budget friendly, making it a great option for any home. It is an exceptional, solid-core plank designed to withstand up to 50° heat without lifting or warping. You can rest assured it will perform brilliantly in your home throughout the hottest summers.



BUNYIP BLACKBUTT



CALDWELL OAK



GILLII GUM



KINGLAKE OAK



TARKINE OAK



TONGRASS OAK




WANDELLA OAK



WAVERLEY OAK

HOW IT'S MADE



① Surface protection

Surface protection system uses PU technology to provide a hygienic and durable finish.

② Clear PVC embossed wear layer

Provides superior protection from everyday wear and tear.

③ High definition photographic layer

Showcasing the unique design of each product; handcrafted for one of a kind beautiful floors.

④ Core

The binder in the core is composed of 100% PVC (no wood floor) to ensure stronger, more stable core for installation over most existing hard floors without the worry of exposing subfloor imperfections.

⑤ 5G® click-locking mechanism

Using a single action installation method, the 5G® click-locking mechanism allows the installer to quickly click and lock planks together.

⑥ Acoustic backing

Pre-attached acoustic foam backing makes it quieter to walk on than laminate floors and reduces noise transfer to rooms below.

SPECIFICATIONS

Board dimensions: 1,520mm x 228mm

Pieces per carton: 6

Area per carton: 2.079m²

Wear layer: 0.5mm

Surface: PU (Polyurethane)

Slip resistance: P3

Thickness: 6mm





Swatch colour and room image can differ due to light conditions. Refer to page 2.

Exceptional strength and stability hybrid flooring.

Abode Avenue offers exceptional strength and stability. Featuring Australian Species and Oaks, Abode Avenue delivers striking patterns that capture the essence of real wood.

CURRENT COLLECTION



ALDAN OAK



DANUBE OAK



GRAMPIAN GUM



HIGH COUNTRY OAK



HIGHLANDS OAK



MURRAY SPOTTED GUM



NATURAL OAK



OMEO BLACKBUTT




SMOKEY OAK



YARRA SPOTTED GUM

HOW IT'S MADE



① Shielded surface protection
Acts to enhance and protect the decor

② Clear embossed wear layer
Protection from scuffing and scratches

③ HD photographic layer
The design layer is rendered in high definition
to offer visually stunning and unique floors

④ Stabilising LVT
Provides dimensional stability

⑤ 5G click system
Glueless install system, just drop, lock, and go

⑥ Infused Polymer Core
Protects against water and moisture
absorption, leaving the floor waterproof

⑦ Acoustic underlay
Advanced sound reduction and comfort

SPECIFICATIONS

Board dimensions: 1,524mm x 228mm

Pieces per carton: 6

Area per carton: 2.08m²

Wear layer: 0.5mm

Surface: PU (Polyurethane)

Slip resistance: P3

Thickness: 8mm

ABODE AVENUE
Design Featured:
Natural Oak





Swatch colour and room image can differ due to light conditions. Refer to page 2.

A timeless foundation for most areas in your home.

Thanks to its innovative construction, Abode Classic flooring is 100% sunproof and water resistant. With a limestone core at the heart of its construction, Abode Classic flooring can be installed on virtually any surface with minimal to no subfloor preparation.

CURRENT COLLECTION



NSW BLACKBUTT



NSW SPOTTED GUM



QLD BLACKBUTT



QLD SPOTTED GUM

HOW IT'S MADE



① Multi-layer Quartz enhanced PUR coating

Exceptional resistance to heavy foot traffic, indents, scratches and scuffs.

② Stunning photographic layer

Super sharp images of the finest timber species for genuine timber appearance.

③ New extra dense rigid solid core

Free of harmful content, waterproof, extra stable and sound absorbent.

④ 5G® click-locking mechanism

Using a single action installation method, the 5G® click-locking mechanism allows the installer to quickly click and lock planks together.

⑤ 1.5mm acoustic underlay

For ultra comfortable noise free use.

SPECIFICATIONS

Board dimensions: 1,830mm x 180mm

Pieces per carton: 7

Area per carton: 2.306m²

Wear layer: 0.5mm

Surface:

Multi-layer Quartz enhanced PUR coating

Slip Resistance: P3

Thickness: 6.5mm





Swatch colour and room image can differ due to light conditions. Refer to page 2.

Flooring that will highlight your home.

Abode Coastal boasts stunning timber designs that are versatile enough to be installed throughout most areas of the home and will uplift your home.

CURRENT COLLECTION



BARCELONA



BYRON BAY
SPOTTED GUM



CAMPARI



CRESCENT HEAD
BLACKBUTT



HAVANA



MARGARET RIVER
SPOTTED GUM




MESSINA



SARDINIA

HOW IT'S MADE




① Commercial Grade Wear Layer
A hard wearing surface with high impact resistance and natural wood embossing.

② High Definition Designs
Available in a variety of natural colours with designs that are true to nature.

③ Click System
Easy to assemble glueless high strength click system.

④ Limestone/PVC Composite Core
Limestone/PVC Composite core which is 100% waterproof and provides outstanding impact resistance and durability. This unique formula enhances the strength under all temperatures whilst providing minimal expansion and contraction.



⑤ Acoustic Backing
Every plank has a pre-adhered underlay for excellent acoustics and underfoot comfort. Beats the BCA (Building Code of Australia) minimum standards by 30%.
Achieves 42 L'nTw Test Result.

SPECIFICATIONS

Board dimensions: 1,520mm x 228mm
Pieces per carton: 5
Area per carton: 1.733m²

Wear layer: 0.5mm
Slip Resistance: P3
Thickness: 6mm





Swatch colour and room image can differ due to light conditions. Refer to page 2.

A technology advanced hybrid.

Delivering durable and waterproof[^] flooring with exquisite design, Abode Elevate ticks all the right boxes. Available in a wide range of natural timber hues, you can enhance your home with strong, stable, and beautiful flooring that's easy to install.

[^]Subject to proper installation, maintenance, and local building code/regulatory approval.

CURRENT COLLECTION



BLACKBUTT



BRONZE OAK



CARAMEL OAK



CASHEW OAK



DARK SPOTTED GUM



HAZEL OAK



KNIGHT OAK



PEARL OAK



SPOTTED GUM



STORM OAK

HOW IT'S MADE



- ① The high grade PUR surface treatment provides scuff and stain resistance, making cleaning a breeze.
- ② PVC Wear layer provides a hard wearing surface with high impact resistance.
- ③ The decorative layer replicates the look of an authentic hardwood or stone look floor with high definition imagery.
- ④ The limestone composite core board is waterproof[^], heat resistant and stable in extreme temperatures.
- ⑤ A pre-adhered acoustic underlay delivers improved acoustics and comfort underfoot as well as decreasing installation costs.

[^]Subject to proper installation, maintenance, and local building code/regulatory approval.

SPECIFICATIONS

Board dimensions: 1,200mm x 182mm

Pieces per carton: 10

Area per carton: 2.184m²

Wear layer: 0.3mm

Slip Resistance: P3

Thickness: 6mm





Swatch colour and room image can differ due to light conditions. Refer to page 2.



Enhance the style of your home.

Abode Grace hybrid flooring comes in beautiful designs that will perfectly complement your interior. Each are water resistant and built tough to resist the wear and tear of a bustling household.

CURRENT COLLECTION



AUGUSTA OAK



BLACKBUTT



BLEACHED
BLACKBUTT



LIMESTONE ASH



LONG PLAINS OAK



SANDBLASTED
BLACKBUTT



SPOTTED GUM



STONEWASH
SPOTTED GUM

HOW IT'S MADE



① UV Coating

The matt UV-cured coating provides stain and scuff protection for a low maintenance, hygienic surface.

② Wear layer

The flexible vinyl wear layer retains the natural wood surface structure while resisting impact and extreme wear.

③ Design film

The design layer provides the unique and natural wood design while exhibiting superior colour fastness.

④ Rigid core

Featuring strong click joints on all 4 sides the rigid core resists heavy point loading and is the foundation for high performance.

⑤ Integrated underlay

The durable underlay allows the flooring to ride over slight sub-floor variations, while providing a quiet and comfortable floor to walk on.

SPECIFICATIONS

Board dimensions: 1,500mm x 180mm

Pieces per carton: 6

Area per carton: 1.62m²

Wear layer: 0.5mm

Slip Resistance: P3

Thickness: 6mm

ABODE GRACE
Design Featured:
Stonewashed Spotted Gum





Swatch colour and room image can differ due to light conditions. Refer to page 2.

A superior benchmark in Hybrid flooring.

Abode Grande is sophisticated in style and with its beautiful colour hues, quality and ease of installation, its the perfect flooring solution for your home. It's innovative core technology offers quick and easy installation while hiding subfloor imperfections.

CURRENT COLLECTION



DIGNIFIED OAK



HILLGROVE SPOTTED
GUM



INSPIRING OAK



MONUMENTAL OAK



MURRAY BLACKBUTT



MYRTLE BLACKBUTT



NOBLE OAK



OPULENT OAK




ORANGE SCENTED
GUM



SPLENDID OAK
GUM

HOW IT'S MADE



① Surface protection

Surface protection system uses PU technology to provide a hygienic and durable finish.

② Clear PVC embossed wear layer

Provides superior protection from everyday wear and tear.

③ High definition photographic layer

Showcasing the unique design of each product; handcrafted for one of a kind beautiful floors.

④ Core

The binder in the core is composed of 100% PVC (no wood floor) to ensure stronger, more stable core for installation over most existing hard floors without the worry of exposing subfloor imperfections.

⑤ 5G Locking mechanism

Using a single action installation method, the 5G mechanism allows the installer to quickly click and lock planks together.

⑥ Acoustic backing

Pre-attached acoustic foam backing makes it quieter to walk on than laminate floors and reduces noise transfer to rooms below.

SPECIFICATIONS

Board dimensions: 1,830mm x 228mm

Pieces per carton: 4

Area per carton: 1.67m²

Wear layer: 0.5mm

Surface: PU (Polyurethane)

Slip resistance: P3

Thickness: 7mm

ABODE GRANDE
Design Featured:
Orange Scented Gum





Swatch colour and room image can differ due to light conditions. Refer to page 2.

Innovative core technology for many rooms.

Featuring water resistant and anti-slip qualities, Abode Noble flooring provides the perfect foundation for most areas of your homes. It's innovative core technology offers quick and easy installation while hiding subfloor imperfections.

CURRENT COLLECTION



BLUE MOUNTAIN
GUM



CLASSIC BLACKBUTT



COASTAL GUM



LIMED CHESTNUT



PALE OAK



RUSTIC SPOTTED
GUM



SMOKED CHESTNUT



TIMELESS OAK



TRANQUIL SPOTTED
GUM



WEATHERED
BLACKBUTT



HoldSafe® is a registered trademark of Karndean Designflooring

HOW IT'S MADE



① K-Guard+ surface protection
Our K-Guard+ surface protection system uses PU technology to provide a hygienic and durable finish.

② Clear PVC embossed wear layer
Provides superior protection from everyday wear and tear.

③ High definition photographic layer
Showcasing the unique design of each product; handcrafted for one of a kind beautiful floors.

④ Stability layer
This layer assists with dimensional stability and indentation resistance and recovery.

⑤ K-Core Technology
The K-Core technology ensures a stronger, more stable core for installation over most existing hard floors without the worry of exposing subfloor imperfections, and it's 100% waterproof.

⑥ 5G® click-locking mechanism
Using a single action installation method, the 5G® click-locking mechanism allows the installer to quickly click and lock planks together.

⑦ Acoustic backing
Pre-attached acoustic foam backing makes rigid core products quieter to walk on than laminate or engineered hard floors, and reduces noise transfer to rooms below.

SPECIFICATIONS

Board dimensions: 1,420mm x 225mm

Pieces per carton: 10

Area per carton: 3.19m²

Wear layer: 0.5mm

Surface: PU (Polyurethane)

Slip resistance: R10

Thickness: 6.5mm

ABODE NOBLE
Design Featured:
Pale Oak





Swatch colour and room image can differ due to light conditions. Refer to page 2.

Style and durability for everyday life.

Abode Prime flooring is exceptionally resistant to scuffs, scratches and stains, making it a perfect choice for busy family homes.

CURRENT COLLECTION



BLACKBUTT



CHAMBERY



NSW SPOTTED GUM



PRAGUE



QLD SPOTTED GUM



VIENNA

HOW IT'S MADE



① Multi-layer Quartz enhanced PUR coating
Exceptional resistance to heavy foot traffic, indents, scratches and scuffs.

② Deep structured decorative layer
The look and feel of a premium hardwood floor.

③ New extra dense rigid solid core
Free of harmful content, waterproof, extra stable and extra sound absorbent.

④ Locking system
For easy installation.

⑤ 1mm acoustic underlay
For ultra comfortable noise free use.

SPECIFICATIONS

Board dimensions: 1,524mm x 177.8mm

Pieces per carton: 6

Area per carton: 1.625m²

Wear layer: 0.55mm

Surface:

Multi-layer Quartz enhanced PUR coating

Slip Resistance: P3

Thickness: 6.0mm





Swatch colour and room image can differ due to light conditions. Refer to page 2.



Timeless oak designs.

Abode Wide Board is an even wider, solid-core plank designed to withstand up to 50° heat without lifting or warping. You can rest assured it will perform brilliantly in your home throughout the hottest summers.

Combining timeless oak designs with chic wide boards, Abode Wide Board flooring provides a seamless transition in open plan spaces.

CURRENT COLLECTION



BODEN OAK



LULEA OAK



MALMO OAK



TROMSO OAK



VARDO OAK

HOW IT'S MADE



① Multi-layer Quartz enhanced PUR coating
Exceptional resistance to heavy foot traffic, indents, scratches and scuffs.

② Deep structured decorative layer
The look and feel of premium hardwood timber.

③ New extra dense rigid solid core
Free of harmful content, waterproof, extra stable and extra sound absorbent.

④ 5G Locking system
For easy installation.

⑤ 1.5mm acoustic underlay
For ultra comfortable noise free use.

SPECIFICATIONS

Board dimensions: 1,830mm x 228mm

Pieces per carton: 6

Area per carton: 2.503m²

Wear layer: 0.5mm

Surface:

Multi-layer Quartz enhanced PUR coating

Slip Resistance: P3

Thickness: 6.5mm





KEY FEATURES

	Abode Alpha	Abode Avenue	Abode Classic	Abode Coastal	Abode Elevate	Abode Grace	Abode Grande	Abode Noble	Abode Prime	Abode Wide Board
Allergy Friendly	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Anti-Slip	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Colour Fastness to Artificial Light				✓	✓	✓			✓	
Durable	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Easy Cleaning	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Eco-friendly	✓		✓	✓		✓	✓	✓	✓	✓
Exclusive to Choices Flooring	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Family Friendly	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hard Wearing	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Low Maintenance	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Natural Fibre										
Pet Friendly	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Quiet Underfoot	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Rental Friendly	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Sound Absorption	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stain Resistance	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Underfloor Heating Suitability	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Waterproof	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

IF YOUR ABODE PRODUCT FAILS TO PERFORM...

Your selected ABODE product is covered by one or more warranties as stated in the warranty information. For more information on the applicable warranties or guarantees on your selected flooring, please check with your local Choices Flooring consultant, or for more information visit the warranty section of the product on www.choicesflooring.com



VIEW WARRANTY
BROCHURE ONLINE

*Warranties and guarantees are provided by the manufacturer and are in addition to other rights and remedies of the consumer under a law in relation to the goods. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage.

You are also entitled to have the goods repaired or replaced if goods fail to be acceptable quality and the failure does not amount to a major failure. Variations in colour within the one reference can occur across all timber designs. Actual colour samples shown in this brochure may vary due to the printing process. View a true representation of the range at your local Choices Flooring store. All information is correct at the time of printing (May 2023).







ABODE GRANDE
Design Featured:
Splendid Oak



choicesflooring.com

JOIN OUR ONLINE COMMUNITY

